

## **Electricity Insulation Copper Foil Tape Brass Strip H62 C2740 C2800**

## **Basic Information**

Place of Origin: chinaBrand Name: JinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kgPrice: 5000usdDelivery Time: 5day

• Payment Terms: L/C, T/T, Western Union,D/P

• Supply Ability: 90000ton



## **Product Specification**

Adhesive: AcrylicAdhesive Strength: High

Application: Electrical, Insulation, Shielding


Thickness: 0.06mmWidth: 50mmColor: Red Yellow

• Highlight: C2740 Copper Foil Tape,

Insulation Copper Foil Tape, C2740 copper insulation tape



## More Images



## **Product Description**

## Key attributes

#### Industry-specific attributes

Adhesive	Acrylic
Adhesive Side	Double Sided
Adhesive Type	Pressure Sensitive
Design Printing	No printing
Material	Copper Foil
Feature	Heat-Resistant
Use	MASKING

#### Other attributes

Place of Origin	shandong, China
Brand Name	jinshunlai
Model Number	CFT005
Color	Copper
Product name	Cooper Foil Tape
Width	Customers' Request
Length	25m or 50m
Usage	Electronic Industry Ect
Certificates	ROHS

#### Packaging & delivery

Package Type:	1 roll/poly bag, 36 rolls/carton, 72 rolls/carton, 96 rolls/carton, 980
	cartons/20'ft container, it also can be customized by clients.

## **Supply Ability**

Copper foil tape is divided into single-sided adhesive and double-sided adhesive. Single-sided plastic coated copper foil tape is divided into single-lead copper foil tape and double-guided copper foil tape, single-conductor copper foil tape refers to the plastic surface is not conductive, only the other side of the copper conductive. Double copper foil tape refers to the plastic surface conductive, and the other side of the copper itself is conductive, it is said that double-conductor that is double-sided conductive. There are two-sided plastic coated copper foil tape and other materials used to be processed into more expensive composite materials, double-sided plastic coated copper foil's surface is also divided into conductive and non-conductive. Customers can according to their own needs of the conductive to choose the product.

# Copper Wuxi Jinnuo copper Co.,Ltd

+86-17763564398 sales01@shuangheyisteel.com copper-solid.com



32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China