



H62 H65 C1100 Copper Brass Coil Strip 0.1mm 0.2mm 0.3mm Thick With High Quality

Our Product Introduction

for more products please visit us on copper-solid.com


Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: contact us
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton



Product Specification

- Width: 50mm
- Application: Industrial, Electrical, Construction
- Processing Service: Bending, Welding, Decoiling, Cutting, Punching
- Surface: Bright
- Thick: 0.1-8mm
- PAYMENT TERM: TT,LC
- Material: Copper, Brass
- Package: Wooden Box



More Images



Product Description

H62 H65 C1100 Copper Brass Coil Strip 0.1mm 0.2mm 0.3mm Thick With High Quality

Brass is an alloy composed of copper and zinc. Brass composed of copper and zinc is called ordinary brass.

If it is a multiple alloy composed of two or more elements, it is called special brass.

Brass has strong wear resistance and is often used to manufacture valves, water pipes, connecting pipes for internal and external air conditioners and radiators.

Key attributes

Industry-specific attributes

Material	Brass strip
Cu (Min)	99.90%
Alloy Or Not	Non-Alloy

Lead Time

Quantity (kilograms)	1 - 5000	5001 - 10000	> 10000
Lead time (days)	5	10	To be negotiated

Other attributes

Place of Origin	Shandong, China
Application	electrical,industry,etc.
Width	as required.
Grade	C11000,C26800,etc
Brand Name	Jin Shunlai
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Product Name	99.9% Pure copper tape / strip / foil
Color	Copper-clored
Shape	pancake coil
Package	Sea Worthy Package

Delivery Time	within one week
Standard	ASTM GB JIS
Related products	copper foil copper tape copper coil
Keyword	99.9% Pure copper tape / strip / foil


Packaging & delivery

Package Type:	Export standard packing or according to customers's requirement <input type="text"/>
---------------	--

Supply Ability

Supply Ability	1000 Ton/Tons per Week
----------------	------------------------

Product Description



Type	Brass coil,brass strip
Standard	EN13599
Material	Cu-ETPb Cu-FRHC [®] Cu-OF CuAg0,105 CuAg0,10P CuAg0,10(OF) Cu-PHC Cu-HCP
shape	disc
specification	thickness:0.1-8mm breadth: ≤1250mm
Surface treatment	mill,polished,bright,or as required.
package	Wooden box
Transit time	About 30 days
Payment method	TT, LC
Application	Electrical, industrial, construction, CARS

copper foil:

It has a strong wear resistance. It has high strength, strong hardness and chemical resistance. It also has prominent machining

mechanical performance.

It can be made for a variety of deep-drawn and bending force components, such as pins, rivets, washers, nuts, ducts, barometers,

screens, radiator parts.

It has good mechanical properties, good plasticity in hot state, the cold plastic is acceptable, good machinability, easy welding

and welding, corrosion, is a widely used material.



copper
jin zhou tai

Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China

