

# Reliable quality manufacture copper pancake tube C10100,C10200,C10300 Copper Coil Tubing

#### **Basic Information**

Place of Origin: chinaBrand Name: JinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kgPrice: 5000usdDelivery Time: 5day

• Payment Terms: L/C, T/T, Western Union,D/P

• Supply Ability: 90000ton



#### **Product Specification**

• Application: Industrial, Commercial, Etc.

Color: Red, Etc.Shape: Coil

• Size: Customized

• Surface Treatment: Polishing, Anodizing, Etc.

• Wall Thickness: 0.2mm~120mm

Material: C11000 C10200 C12200Length: Customers' Requirement



#### More Images



# Reliable quality manufacture copper pancake tube C10100,C10200,C10300 Copper Coil Tubing

# Copper advantages

- 1.Excellent thermal and electrical conductivity.
- 2. Wear and corrosion resistance.
- 3. Enhanced strength when flexed, drawn, or formed.
- 4. Anti-microbial and corrosion-resistant benefits.

#### Key attributes

#### Industry-specific attribute

Products name	Copper Pipe
Standard	ASTM AISI JIS DIN EN GB
Size	OD:2-914mm (1/16"-36") WT:0.2-120mm(SCH5S-SCH160S) Length:1m,2m,3m,6m,or as required
Grade	T1,T2,C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10 920, TP1,TP2,C10930,C11000,C11300,C11400,C11500,C11600,C12000,C12200,C 12300,TU1,TU2,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C1 7200,C19200,C21000,C23000,C26000,C27000,C27400,C28000,C33000,C332 00,C37000,C44300,C44400,C44500,C60800,C63020,C65500,C68700,C70400,C70600,C70620,C71000,C71500,C71520,C71640,C72200,etc
Hardness	1/16 hard,1/8 hard,3/8 hard,1/4 hard,1/2hard,full hard,soft,etc
Surface	Mill,polished,bright,oiled,hair line,brush,mirror,sand blast,or as required
Package	Standard export seaworthy package or as required.
Service	OEM/ODM

#### Other attributes

Place of Origin	Shandong, China
Application	Air Condition Or Refrigerator
Specification	Any Size Can be Customised
Grade	99.9% Pure Copper
Model Number	C11000
Processing Service	Bending, Decoiling, Welding, Punching, Cutting
Payment terms	30%TT Advance + 70% Balance
PRICE TERM	EXW FOB CFR CIF

Certificate	ISO9001:2008
Grade	C11000 C12000 C12200
DELIVERY TIME	7-15days

Outside Diameter		Wall Thickness	Nominal Weight (kgs)		Packing	
inch	mm	mm	15 Meters	15.24 Meters	Carton Dimension(cm³)	Coils per Carton
3/16	4.76	0.8	1.33	1.35	40*40*18.5	16
1/4	6.35	0.8	1.86	1.89	40*40*18.5	12
1/4	6.35	1.0	2.25	2.28	40*40*18.5	12
5/16	7.94	0.8	2.40	2.44	40*40*18.5	10
5/16	7.94	1.0	2.91	2.96	40*40*18.5	10
3/8	9.52	0.8	2.93	2.98	45*45*18.5	8
3/8	9.52	1.0	3.58	3.64	45*45*18.5	8
1/2	12.7	0.8	4.00	4.06	50*50*18.5	6
1/2	12.7	1.0	4.91	4.99	50*50*18.5	6
5/8	15.88	1.0	6.25	6.35	55*55*18.5	5
3/4	19.05	1.0	7.58	7.70	60*60*18.5	4
7/8	22.22	1.0	8.91	9.06	65*65*18.5	3

# Packaging and delivery

Packaging Details	Each end capped then wrapped with plastic bag then in carton box last pallet
Port	Qingdao

#### Attribute-list

Supply Ability 20000 Metric Ton/Metric Tons per Month		Supply Ability	20000 Metric Ton/Metric Tons per Month	
---	--	----------------	--	--

# **Product details**





