



## High conductivity Ground Rod copper ground bar 0.1-50mm or custom size For Earthing System

### Our Product Introduction

#### Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: contact us
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton




#### Product Specification

- Copper Layer Thickness:  $\geq 0.254\text{mm}$
- Tensile Strength:  $\geq 580\text{N/mm}$
- Straightness Error:  $\leq 1\text{mm/m}$
- Hardness: HV100
- Package: Carton
- Color: Red Yellow
- Diameter: 14.2mm~25mm; (5/8, 3/4)
- Length: 1.2m~3.0m(4ft~10ft)



#### More Images



## Product Description

### High conductivity Ground Rod copper ground bar 0.1-50mm or custom size For Earthing System

Ground rod/bar are made of high-quality steel covered with 99.9% electrolytic copper molecular. The steel core is low carbon steel, and the carbon content is about 0.15%. It is very uniform copper layer and the thickness of 0.254mm or more. Products have conductive properties of copper and the tensile strength of steel. Since the layer and steel material is a binding molecule, the copper layer is not easily peeled off, and will not crack when bent in operation.

#### Features:

- 1: Corrosion resistance is strong
- 2: Using range and simple installation
- 3: The service life is long
- 4: Grounding resistance is low and stable
- 5: Transmission current capacity
- 6: Environmental protection and cost-effective


### Key attributes

#### Other attributes

Place of Origin	China
Brand Name	Jinshunlai
Model Number	C1100, C1220, C5191, C6320 etc
Application	Industrial
Shape	Round
Length	0.5mm-6m or 12m
Grade	Pure Copper
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Product Name	Copper Metal Rod C110 Solid Copper flat Bar for Metal Crafts
Keywords	copper bar for sale
Material	T1 T2 C10200 C11600 C71520
Type	Round/flat/square

Payment Term	30% Deposit+70% Balance
PRICE TERM	CIF CFR FOB Ex-Work
Usage	Copper Welding- Phos Copper Brazing Alloy

**Packaging and delivery**

Packaging Details	<i>high conductivity Electrical Copper Earth bars Copper bonded earth rods For Earthing System box, corton and gute bag or as customer'requirement.</i> 
Port	Tianjin port,Qingdao port or as required.

**Supply Ability**

Supply Ability	50000 Ton/Tons per Quarter
----------------	----------------------------

**Product Description**



99.9% High Purity Copper 99.9%





Smooth Copper Surface




Smooth Cross Section

Widely used in Gear shaft,  
motor shaft, short support  
shaft, shaft pocket model,  
miniature axle, model plane,  
model ship, model cars







## PRODUCTS ARE WIDELY USED



## Packing & Delivery





**Wuxi Jinnuo copper Co.,Ltd**



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China